J2 PET Felt Tiles

PRODUCT DATA AND SPECIFICATIONS



J2 PET Acoustic Felt Tiles provide excellent sound absorption without compromising on aesthetic function. Tiles can be cut in any shape or size to accommodate design specifications. Our tiles are eco-friendly, as they are made from recycled material. J2 PET Acoustic Felt Tiles are lightweight, durable, hard-wearing and tackable. We offer these tiles in 28 color options.

Composition 100% PET (>75% recycled PET material)

Thickness 9mm, 12mm, other custom thicknesses available

Density 1900g/sqm-2400g/sqm (approx 12pcf)

Dimensions See details on page 3. Custom sizes available

ASTM E84 - Class B (Class A panels availabe on request, color options may vary) **Fire Rating**

EN13501 - Class B

Acoustic NRC 0.3-0.9 Depending on thickness and airgap

Application Wall, and ceiling

Material Notes Variation in thickness, fiber mix and color, as well as flecks and other slight surface

blemishes are an inherent feature of this product and are unavoidable. Variation

from batch to batch may occur.

Cleaning and Care Remove dust and dirt by dusting, vacuuming, or with a soft cloth or sponge and

a solution of carpet or upholstery shampoo. Use a soft, damp cloth and blot dry.

Spot cleaner can be used for lightly soiled areas.

Mounting Options Tiles can be installed on wall and ceiling surfaces via fasteners, or standard

construction adhesives. When installing with adhesives, the tiles can be mounted directly to the surface, or furring strips can be installed to create an air gap

behind the tiles.

Warranty 2-year warranty against workmanship and manufacturing defects.

12mm PET Acoustic Felt NRC Comparison:


Freque	ency/Hz	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	NRC
No Cav	vity	0.04	0.03	0.04	0.05	0.06	0.10	0.11	0.22	0.30	0.43	0.55	0.65	0.73	0.82	0.92	0.98	1.03	0.40
50mm	/ 2in	0.16	0.16	0.19	0.29	0.38	0.48	0.61	0.75	0.83	0.97	0.97	0.93	0.96	0.91	0.86	0.83	0.89	0.75
150mr	m / 6in	0.26	0.37	0.41	0.62	0.68	0.82	0.89	0.98	0.90	0.92	0.81	0.75	0.82	0.87	0.87	0.90	0.90	0.85







J2 PET Felt Color Chart



Custom colors available upon request. Minimum order quantities apply.



J2 PET Felt Tiles

Style Options and Standard Sizes

Style Options and Stand	ulu 31263		
PLANK TILE		1'-8.00"	1
			5.00"
HEXAGON TILE			
PARALLELOGRAM TILE		8.66*	
TRIANGLE TILE		8.66*	
SQUARE TILE		10,00*	
SCALE TILE		10.00	
BOWTIE TILE		10.00°	
CIRCLE TILE		-810.00*	